





















Model	Picture	Description
<b>Quotation for brush cutter series</b>		
Stihl Model HJ-CG520A		1: Engine model:1E44F-5B 2: Engine type: Single cylinder, air-forced cool, 2-stroke 3: Displacement: 51.7cc 4: Rated power: 1.46kw/7500rpm 5: 2-cycle oil/gasoline mixing ratio: 1: 25 6: Fuel tank capacity: 1200ml 7: Pole diameter: 26mm 8: G.W/N.W:11.5/10.5kgs 9: CE approval 10: Carton size: 165*11*17cm+31*30*26cm 11: Qty/20'container: 510pcs
HJ-CG260A		1: Engine model:1E34F 2: Engine type: Single cylinder, air-forced cool, 2-stroke 3: Displacement: 25.4cc 4: Rated power: 0.75kw/7500rpm 5: 2-cycle oil/gasoline mixing ratio: 1: 25 6: Fuel tank capacity: 700ml 7: Pole diameter: 26mm 8: G.W/N.W:9.5/8.5 kgs 9: CE approval 10: Carton size: 165*11*11cm+31*30*26cm 11: Qty/20'container: 630pcs
HJ-CG260B		1: Engine model:1E34F 2: Engine type: Single cylinder, air-forced cool, 2-stroke 3: Displacement: 25.4cc 4: Rated power: 0.75kw/7500rpm 5: 2-cycle oil/gasoline mixing ratio: 1: 25 6: Fuel tank capacity: 700ml 7: Pole diameter: 26mm 8: G.W/N.W:9.5/8.5kgs 9: CE approval 10: Carton size: 165*11*11cm+31*30*26cm 11: Qty/20'container: 630pcs

HJ-CG328		<p>1: Engine model:1E36F  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 30.5cc  4: Rated power: 0.81kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1000ml  7: Pole diameter: 26mm  8: G.W/N.W:9.8/8.8kgs  9: CE approval  10: Carton size: 165*11*11cm+31*30*26cm  11: Qty/20'container: 630pcs</p>
HJ-CG330		<p>1: Engine model:1E36F-2  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 32.6cc  4: Rated power: 0.9kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1000ml  7: Pole diameter: 26mm  8: G.W/N.W:9.5/8.5kgs  9: CE approval  10: Carton size: 165*11*11cm+31*30*26cm  11: Qty/20'container: 630pcs</p>
HJ-CG411A		<p>1: Engine model:1E40F-6  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 40.2cc  4: Rated power: 1.45kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 850ml  7: Pole diameter: 26mm  8: G.W/N.W:9.8/8.8kgs  9: CE approval  10: Carton size: 165*11*11cm+31*30*26cm  11: Qty/20'container: 630pcs</p>
HJ-CG411B		<p>1: Engine model:1E40F-6  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 40.2cc  4: Rated power: 1.45kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 850ml  7: Pole diameter: 26mm  8: G.W/N.W:10.8/9.8kgs  9: CE approval  10: Carton size: 165*11*11cm+34*31*43cm  11: Qty/20'container: 530pcs</p>

HJ-CG415	 <p style="text-align: center;"><b>HJ-CG430</b></p>	<ol style="list-style-type: none"> <li>1: Engine model:1E40F-3</li> <li>2: Engine type: Single cylinder, air-forced cool, 2-stroke</li> <li>3: Displacement: 41.5cc</li> <li>4: Rated power: 1.47kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 1000ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:9.8/8.8kgs</li> <li>9: CE approval</li> <li>10: Carton size: 165*11*11cm+31*30*26cm</li> <li>11: Qty/20'container: 630pcs</li> </ol>
HJ-CG430	 <p style="text-align: center;"><b>HJ-CG430</b></p>	<ol style="list-style-type: none"> <li>1: Engine model:1E40F-5</li> <li>2: Engine type: Single cylinder, air-forced cool, 2-stroke</li> <li>3: Displacement: 42.7cc</li> <li>4: Rated power: 1.25kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 1200ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:9.5/8.5kgs</li> <li>9: CE approval</li> <li>10: Carton size: 165*11*11cm+31*30*26cm</li> <li>11: Qty/20'container: 630pcs</li> </ol>
HJ-CG520		<ol style="list-style-type: none"> <li>1: Engine model:1E44F-5</li> <li>2: Engine type: Single cylinder, air-forced cool, 2-stroke</li> <li>3: Displacement: 51.7cc</li> <li>4: Rated power: 1.46kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 1200ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:9.5/8.5kgs</li> <li>9: CE approval</li> <li>10: Carton size: 165*11*11cm+31*30*26cm</li> <li>11: Qty/20'container: 630pcs</li> </ol>
HJ-CG139		<ol style="list-style-type: none"> <li>1: Engine model: GX35</li> <li>2: Engine type: Single cylinder, air-forced cool, 4-stroke</li> <li>3: Displacement: 37.7cc</li> <li>4: Rated power: 1.0kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 650ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:9.5/8.5kgs</li> <li>9: CE approval</li> <li>10: Carton size: 165*11*11cm+31*30*26cm</li> <li>11: Qty/20'container: 630pcs</li> </ol>


HJ-BG328		<p>1: Engine model:1E36F  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 30.5cc  4: Rated power: 0.81kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1350ml  7: Pole diameter: 26mm  8: G.W/N.W:11.8/10.8kgs  9: CE approval  10: Carton size: 155*12*12cm+31*30*43cm  11: Qty/20'container: 440pcs</p>
HJ-BG330		<p>1: Engine model:1E36F-2  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 32.6cc  4: Rated power: 0.9kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1350ml  7: Pole diameter: 26mm  8: G.W/N.W:11.8/10.8kgs  9: CE approval  10: Carton size: 155*12*12cm+31*30*43cm  11: Qty/20'container: 440pcs</p>
HJ-BG415		<p>1: Engine model:1E40F-3  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 42.5cc  4: Rated power: 1.47kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1000ml  7: Pole diameter: 26mm  8: G.W/N.W:11.8/10.8kgs  9: CE approval  10: Carton size: 155*12*12cm+34*31*43cm  11: Qty/20'container: 410pcs</p>
HJ-BG430		<p>1: Engine model:1E40F-5  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 41.7cc  4: Rated power: 1.25kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1350ml  7: Pole diameter: 26mm  8: G.W/N.W:11.8/10.8kgs  9: CE approval  10: Carton size: 155*12*12cm+34*31*43cm  11: Qty/20'container: 410pcs</p>


HJ-BG430A		<p>1: Engine model:1E40F-5  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 42.7cc  4: Rated power: 1.25kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1350ml  7: Pole diameter: 26mm  8: G.W/N.W:11.8/10.8kgs  9: CE approval  10: Carton size: 155*13*10cm+32*30*57cm  11: Qty/20'container: 370pcs</p>
HJ-BG430B		<p>1: Engine model:1E40F-5B  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 42.7cc  4: Rated power: 1.25kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1350ml  7: Pole diameter: 26mm  8: G.W/N.W:12.5/11.5kgs  9: CE approval  10: Carton size: 155*13*10cm+32*30*57cm  11: Qty/20'container: 370pcs</p>
HJ-BG520		<p>1: Engine model:1E44F-5  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 51.7cc  4: Rated power: 1.46kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1200ml  7: Pole diameter: 26mm  8: G.W/N.W:11.8/10.8kgs  9: CE approval  10: Carton size: 155*12*12cm+34*31*43cm  11: Qty/20'container: 410pcs</p>
HJ-BG520A		<p>1: Engine model:1E44F-5  2: Engine type: Single cylinder, air-forced cool, 2-stroke  3: Displacement: 51.7cc  4: Rated power: 1.46kw/7500rpm  5: 2-cycle oil/gasoline mixing ratio: 1: 25  6: Fuel tank capacity: 1200ml  7: Pole diameter: 26mm  8: G.W/N.W:11.8/10.8kgs  9: CE approval  10: Carton size: 155*12*12cm+32*30*57cm  11: Qty/20'container: 370pcs</p>

HJ-BG520B		<ul style="list-style-type: none"> <li>1: Engine model:1E44F-5B</li> <li>2: Engine type: Single cylinder, air-forced cool, 2-stroke</li> <li>3: Displacement: 51.7cc</li> <li>4: Rated power: 1.46kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 1200ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:12.5/11.5kgs</li> <li>9: CE approval</li> <li>10: Carton size: 155*12*12cm+32*30*57cm</li> <li>11: Qty/20'container: 370pcs</li> </ul>
-----------	---	---





HJ-MPT430		<ul style="list-style-type: none"> <li>1: Engine model:1E40F-5</li> <li>2: Engine type: Single cylinder, air-forced cool, 2-stroke</li> <li>3: Displacement: 42.7cc</li> <li>4: Rated power: 1.25kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 1200ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:14.5/13.5kgs</li> <li>9: CE approval</li> <li>10: Carton size: 96*25*21cm+28*21*27cm</li> <li>11: Qty/20'container: 420pcs</li> </ul>
-----------	--	---

**Quotation for pole saw series**





HJ-PS260		<ul style="list-style-type: none"> <li>1: Engine model:1E34F</li> <li>2: Engine type: Single cylinder, air-forced cool, 2-stroke</li> <li>3: Displacement: 25.4cc</li> <li>4: Rated power: 0.75kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 700ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:9.5/8.5kgs</li> <li>9: CE approval</li> <li>10: Carton size: 187*11*11cm+28*20*26cm</li> <li>11: Qty/20'container: 740pcs</li> </ul>
----------	---	---

HJ-PS260A		<ul style="list-style-type: none"> <li>1: Engine model:1E34F</li> <li>2: Engine type: Single cylinder, air-forced cool, 2-stroke</li> <li>3: Displacement: 25.4cc</li> <li>4: Rated power: 0.75kw/7500rpm</li> <li>5: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>6: Fuel tank capacity: 700ml</li> <li>7: Pole diameter: 26mm</li> <li>8: G.W/N.W:9.5/8.5kgs</li> <li>9: CE approval</li> <li>10: Carton size: 187*11*11cm+34*30*43cm</li> <li>11: Qty/20'container: 420pcs</li> </ul>
-----------	---	---



## Quotation for hedge trimmer series





<p>HJ-HT01A</p>	 <p><b>HJ-HT01A</b></p> <p>                     引擎型號 Engine model: HJ-HT01A                      汽機種類 Engine type: Single cylinder, air-cooling, two-stroke gasoline engine                      缸容積 Displacement: 22.5cc                      額定功率 Rated power: 0.65kw/7500rpm                      油/汽油混合比例 Oil/gasoline mixing ratio: 1:25                      油箱容量 Fuel tank capacity: 600ml                      切割寬度 Cutting width: 560mm                      總重量 G.W: 7.5kg                      淨重量 N.W: 6.5kg                      認證 CE approval                      包裝尺寸 Carton size: 106*25*22cm                      每箱數量 Qty/20' container: 480pcs                 </p>	<p>1: Engine model:1E32F-                      2: Engine type: Single cylinder, air-forced cool, 2-stroke                      3: Displacement: 22.5cc                      4: Rated power: 0.65kw/7500rpm                      5: 2-cycle oil/gasoline mixing ratio: 1: 25                      6: Fuel tank capacity: 600ml                      7: Cutting width: 560mm                      8: G.W/N.W:7.5/6.5kgs                      9: CE approval                      10: Carton size: 106*25*22cm                      11: Qty/20'container: 480pcs</p>
<p>HJ-HT02A</p>	 <p><b>HJ-HT02A</b></p> <p>                     引擎型號 Engine model: HJ-HT02A                      汽機種類 Engine type: Single cylinder, air-cooling, two-stroke gasoline engine                      缸容積 Displacement: 22.5cc                      額定功率 Rated power: 0.65kw/7500rpm                      油/汽油混合比例 Oil/gasoline mixing ratio: 1:25                      油箱容量 Fuel tank capacity: 600ml                      切割寬度 Cutting width: 560mm                      總重量 G.W: 7.5kg                      淨重量 N.W: 6.5kg                      認證 CE approval                      包裝尺寸 Carton size: 106*22*24cm                      每箱數量 Qty/20' container: 500pcs                 </p>	<p>1: Engine model:1E32F-                      2: Engine type: Single cylinder, air-forced cool, 2-stroke                      3: Displacement: 22.5cc                      4: Rated power: 0.65kw/7500rpm                      5: 2-cycle oil/gasoline mixing ratio: 1: 25                      6: Fuel tank capacity: 600ml                      7: Cutting width: 560mm                      8: G.W/N.W:7.5/6.5kgs                      9: CE approval                      10: Carton size: 106*22*24cm                      11: Qty/20'container: 500pcs</p>
<p>HJ-BHT260</p>		<p>1: Engine model:1E32F-                      2: Engine type: Single cylinder, air-forced cool, 2-stroke                      3: Displacement: 22.5cc                      4: Rated power: 0.65kw/7500rpm                      5: 2-cycle oil/gasoline mixing ratio: 1: 25                      6: Fuel tank capacity: 600ml                      7: Cutting width: 560mm                      8: G.W/N.W:8.5/7.5kgs                      9: CE approval                      10: Carton size: 165*11*6cm+34*31*43cm                      11: Qty/20'container: 500pcs</p>
<p>HJ-PT430</p>		<p>1: Engine model:1E40F-5                      2: Engine type: Single cylinder, air-forced cool, 2-stroke                      3: Displacement: 42.7cc                      4: Rated power: 1.25kw/7500rpm                      5: 2-cycle oil/gasoline mixing ratio: 1: 25                      6: Fuel tank capacity: 1200ml                      7: Pole diameter: 26mm                      8: G.W/N.W:10.5/9.5kgs                      9: CE approval                      10: Carton size: 195*11*11cm+33*30*25cm                      11: Qty/20'container: 570pcs</p>






## Quotation for chain saw series






HJ-CS2500		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline                  2: Displacement: 25CC                  3: Engine power: 0.9kw/7000rpm                  4: Fuel/oil mixture ratio: 25:1                  5: Fuel tank capacity: 230ml                  6: Oil tank capacity: 180ml                  7: Bar/Chain size: 12"                  8: Carton size: 41*24*25cm                  9: CE approval                  10: Qty/20' container: 1140pcs</p>
HJ-CS3800		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline                  2: Displacement: 38CC                  3: Engine power: 1.2kw/7000rpm                  4: Fuel/oil mixture ratio: 25:1                  5: Fuel tank capacity: 310ml                  6: Oil tank capacity: 210ml                  7: Bar/Chain size: 16"                  8: Carton size: 45*26*29cm                  9: CE approval                  10: Qty/20' container: 820pcs</p>
HJ-CS4500		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline                  2: Displacement: 45CC                  3: Engine power: 1.7kw/7000rpm                  4: Fuel/oil mixture ratio: 25:1                  5: Fuel tank capacity: 550ml                  6: Oil tank capacity: 260ml                  7: Bar/Chain size: 18"                  8: Carton size: 45*26*29cm                  9: CE approval                  10: Qty/20' container: 820pcs</p>
HJ-CS4600		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline                  2: Displacement: 46CC                  3: Engine power: 1.8kw/7000rpm                  4: Fuel/oil mixture ratio: 25:1                  5: Fuel tank capacity: 550ml                  6: Oil tank capacity: 260ml                  7: Bar/Chain size: 18"                  8: Carton size: 45*26*29cm                  9: Qty/20' container: 820pcs</p>



HJ-CS5200		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline  2: Displacement: 52CC  3: Engine power: 2.2kw/7000rpm  4: Fuel/oil mixture ratio: 25:1  5: Fuel tank capacity: 550ml  6: Oil tank capacity: 260ml  7: Bar/Chain size: 20"  8: Carton size: 45*26*29cm  9: CE approval  10: Qty/20' container: 820pcs</p>
HJ-CS5600		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline  2: Displacement: 56CC  3: Engine power: 2.3kw/7000rpm  4: Fuel/oil mixture ratio: 25:1  5: Fuel tank capacity: 550ml  6: Oil tank capacity: 260ml  7: Bar/Chain size: 20"  8: Carton size: 45*26*29cm  9: CE approval  10: Qty/20' container: 820pcs</p>
HJ-CS5800		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline  2: Displacement: 58CC  3: Engine power: 2.4kw/7000rpm  4: Fuel/oil mixture ratio: 25:1  5: Fuel tank capacity: 550ml  6: Oil tank capacity: 260ml  7: Bar/Chain size: 22"  8: Carton size: 45*26*29cm  9: CE approval  10: Qty/20' container: 820pcs</p>
HJ-CS6200		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline  2: Displacement: 62CC  3: Engine power: 2.6kw/7000rpm  4: Fuel/oil mixture ratio: 25:1  5: Fuel tank capacity: 550ml  6: Oil tank capacity: 260ml  7: Bar/Chain size: 24"  8: Carton size: 48*29*30cm  9: CE approval  10: Qty/20' container: 660pcs</p>

HJ-CS381		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline  2: Displacement: 72CC  3: Engine power: 3.6kw/7000rpm  4: Fuel/oil mixture ratio: 25:1  5: Fuel tank capacity: 680ml  6: Oil tank capacity: 350ml  7: Bar/Chain size: 25"  8: Carton size: 45*26*30cm  9: CE approval  10: Qty/20' container: 790pcs</p>
HJ-CS070		<p>1:Engine: Air-cooling, two-stroke, single cylinder gasoline  2: Displacement: 105CC  3: Engine power: 4.8kw/7000rpm  4: Fuel/oil mixture ratio: 25:1  5: Fuel tank capacity: 1200ml  6: Oil tank capacity: 530ml  7: Bar/Chain size: 36" (Stihl chain)  8: Carton size: 56*37*37cm  9: CE approval  10: Qty/20' container: 370pcs</p>
<b>Quotation for earth auger series(not includ the auger/bit)</b>		
HJ-ED52		<p>1: Operate type: one man  2: Engine type: Single cylinder air-cooling, 2-stroke gasoline engine 1E44F-5  3: Displacement: 51.7CC  4: 2-cycle oil/gasoline mixing ratio: 1: 25  5: Power: 1.46kW/7000rpm  6: Fuel tank capacity: 1.2L  7: Carton size: 62*44*30cm  8: CE approval</p>
HJ-ED52A		<p>1: Operate type: one man  2: Engine type: Single cylinder air-cooling, 2-stroke gasoline engine 1E44F-5  3: Displacement: 51.7CC  4: 2-cycle oil/gasoline mixing ratio: 1: 25  5: Power: 1.46kW/7000rpm  6: Fuel tank capacity: 1.2L  7: Carton size: 62*44*30cm  8: CE approval</p>

HJ-ED52B		<ol style="list-style-type: none"> <li>1: Operate type: two man</li> <li>2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E44F-5</li> <li>3: Displacement: 51.7CC</li> <li>4: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>5: Power: 1.46kW/7000rpm</li> <li>6: Fuel tank capacity: 1.2L</li> <li>7: Carton size: 62*44*30cm</li> <li>8: CE approval</li> </ol>
HJ-MD52		<ol style="list-style-type: none"> <li>1: Operate type: two man</li> <li>2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E44F-5</li> <li>3: Displacement: 51.7CC</li> <li>4: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>5: Power: 1.46kW/7000rpm</li> <li>6: Fuel tank capacity: 1.2L</li> <li>7: Carton size: 58*44*30cm</li> <li>8: CE approval</li> </ol>
HJ-MD52A		<ol style="list-style-type: none"> <li>1: Operate type: one/two man</li> <li>2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E44F-5</li> <li>3: Displacement: 51.7CC</li> <li>4: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>5: Power: 1.46kW/7000rpm</li> <li>6: Fuel tank capacity: 1.2L</li> <li>7: Carton size: 42*32*31cm</li> <li>8: CE approval</li> </ol>
HJ-EA52		<ol style="list-style-type: none"> <li>1: Operate type: one/two man</li> <li>2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E44F-5</li> <li>3: Displacement: 51.7CC</li> <li>4: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>5: Power: 1.46kW/7000rpm</li> <li>6: Fuel tank capacity: 1.2L</li> <li>7: Carton size: 42*32*31cm</li> <li>8: CE approval</li> </ol>
HJ-EA52A		<ol style="list-style-type: none"> <li>1: Operate type: one/two man</li> <li>2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E44F-5</li> <li>3: Displacement: 51.7CC</li> <li>4: 2-cycle oil/gasoline mixing ratio: 1: 25</li> <li>5: Power: 1.46kW/7000rpm</li> <li>6: Fuel tank capacity: 1.2L</li> <li>7: Carton size: 48*45*32cm</li> <li>8: CE approval</li> </ol>

HJ-EA52B		<p>1: Operate type: one/two man  2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E44F-5  3: Displacement: 51.7CC  4: 2-cycle oil/gasoline mixing ratio: 1: 25  5: Power: 1.46kW/7000rpm  6: Fuel tank capacity: 1.2L  7: Carton size: 48*45*32cm  8: CE approval</p>
HJ-EA52C		<p>1: Operate type: one man  2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E44F-5  3: Displacement: 51.7CC  4: 2-cycle oil/gasoline mixing ratio: 1: 25  5: Power: 1.46kW/7000rpm  6: Fuel tank capacity: 1.2L  7: Carton size: 54*32*41cm  8: CE approval</p>
HJ-ED71		<p>1: Operate type: one man  2: Engine type: Single cylinder air-cooling, 2 -stroke gasoline engine 1E50F-1  3: Displacement: 71CC  4: 2-cycle oil/gasoline mixing ratio: 1: 35  5: Power: 2.4kW/7000rpm  6: Fuel tank capacity: 1.2L  7: Carton size: 62*44*30cm  8: CE approval</p>
<b>Quotation for augers</b>		
AUGER(80 cm/100cm long)		60mm(80/100cm)
		80mm(80/100cm)
		100mm(80/100cm)
		150mm(80/100cm)
		200mm(80/100cm)
		250mm(80/100cm)
		300mm(80/100cm)
Ice auger		150mm
		200mm